





## **#275** Cambridge™

SCRAPER | HEAVY TRAFFIC



## **FEATURES**

- Innovated Polyamide Nylon 6 monofilament and Nylon 6,6 fibers provide one of the most aggressive scraping technologies in the industry, trapping dirt before it infiltrates the building
- Rubber backing provides increased durability in mild to severe environments

## **SPECIFICATIONS**

Standard Sizes: 2'x 3' 3'x 5' 3'x 10' 4'x 6'

Finish: Rubber backing/borders Thickness: 3/16"

### WARRANTY





### **FEATURES**

#155 Fore-Runner™

SCRAPER | MEDIUM TRAFFIC

Green

Attractive two-tone or resist fading

 Non-absorbent, abras from footwear

ThermoFlex<sup>™</sup> vinyl ba

## **SPECIFICATION**

Standard Sizes: 2'x3 Rolls: 3'x6

Total Customization: Finish: ThermoFlex™ vi Thickness: 5/16"

WARRANTY

1 Year

## **#265** Oxford™ Elite

SCRAPER / WIPER | HEAVY TRAFFIC



## **FEATURES**

- · Mix of abrasive and sturdy olefin fibers for well balanced wiping and scraping performance
- Heavyweight attractive surface hides dirt and keeps entrance clean
- ThermoFlex<sup>™</sup> vinyl backing offers superior floor protection

## **SPECIFICATIONS**

2'x 3' 3'x 4' 3'x 10' 4'x 6' Standard Sizes: 2'x 3' 4'x 10'

Rolls: 3'x 60' 4'x 60' 6'x 60' Total Customization: Up to 11'9" x 60' Finish: ThermoFlex™ vinyl backing/borders

Thickness: 3/8"

WARRANTY 1 Year









Black/Burgundy Black/Blue

## #255 Cross-Over™

SCRAPER / WIPER | MEDIUM TRAFFIC







**FEATURES** 

 Abrasive loop-pile sur footwear while sturdy

 Step #2 of our comple with our Fore-Runner

## **SPECIFICATION** Standard Sizes: 2'x3

Rolls: 3'x 6 **Total Customization:** 

Finish: ThermoFlex™ v Thickness: 5/16"

WARRANTY

## #360 Oxford™



## **FEATURES**

- · Heavyweight loop pile mat that exceeds the performance of similar wipers in the market
- High performance mat that will retain water and minimize the risk of slips and falls
- · Attractive pattern hides dirt and keeps your entrance clean

## **SPECIFICATIONS**

Standard Sizes: 2'x 3' 3'x 10' 4'x 6' 4'x 10' 3'x 60' 4'x 60' 6'x 60'

Total Customization: Up to 11'9" x 60' Finish: ThermoFlex™ vinyl backing/borders





Black/Burgundy

## #355 Walk-A-Wav™

WIPER | MEDIUM TRAFFIC









**FEATURES**  Attractive two-tone co fading and crushing

Dense, fast drying loo trap fine dirt particles

 Step #3 of our comple Cross-Over™ scraper/

**SPECIFICATION** Standard Sizes: 2'x 3 3'x 1 Rolls: 3'x6

Total Customization:



Thickness: 3/8"" WARRANTY

Finish: ThermoFlex™ v Thickness: 5/16"

WARRANTY

# **Outdoor Matting**

Dirt that is brought in on shoes can cause premature and visible wear and tear on expensive interior flooring — both hard surfaced and carpeted floors.

In addition, a lack of correct entry matting affects indoor air quality. An outdoor mat is there to knock off the big stuff and begin the dirt management process.

#### What to look for:

- Choose an aggressive mat with a surface designed and built for vigorous scraping.
- Quality outdoor mats can trap and hold as much as three pounds of dirt per square foot. Mats with this ability can actually reduce overall building cleaning costs
- Deep pile products hide dirt and prevent it from entering the building
- Consider choosing colors that efficiently conceal dirt, sand, salt, etc.





## #170/171 Boardwalk™

SCRAPER/WIPER | HEAVY TRAFFIC













Highly functi

performance construction The closed co (#170) allow

ideal for shal The open cor (#171) allow

removal of di

SPECIFIC/ Standard Size

Finish: UV Res Thickness: #1

\*Ramps available

WARRAN1 1 Year

## #110 Commercial Clean Ma





SPECIFIC/



## Standard Size

Rolls: \*Products more th Heavy-duty bevel

**FEATURE!** 

Molded poly mildew and f

Improved ski

low tempera

· Deep pile hic it from enteri

Total Custom 3' x 50' and u Finish: Anti-sk Thickness: 5/

WARRANT

**OUTDOOR MATS** 

## #125/126 Diamond-Deluxe™ Duet

SCRAPER | MEDIUM TRAFFIC

## **FEATURES**

- · Beautiful two-tone vinyl loop mat provides a stylish, yet effective, scraper mat
- · Distinctive embossed diamond pattern hides debris beneath the loops
- Also available without backing to facilitate the flow of water (ideal for locker rooms,





## #130/131 Spaghetti Mat™

SCRAPER | LIGHT TRAFFIC





## FEATURE!

- PVC loop stru • Dries quickly
- · Also available the flow of w

SPECIFICA



pools, spas, etc.)

#### SPECIFICATIONS

Standard Sizes: 3'x5' 4'x6' (edging/nosing available)

3'x20' 4'x20' (No borders) Rolls: Total Customization: Up to 8' wide

Finish: #125: with foam backing (1/2"), ideal for

indoor usage #126: unbacked drain-through (3/8")

## WARRANTY

1 Year





backing (1/2")



#126: unbacked with drain-through (3/8")



w / backing (#130)



Total Customi Finish: With b Thickness: 3/

Standard Size (offered with or

Rolls: 3' x 20'

**WARRAN**1 1 Year

## #100 Mat-A-Dor™

SCRAPER | MEDIUM TRAFFIC



#### **FEATURES**

- Remains flexible and maintains performance in the coldest temperatures
- Contains 60% more "fingers" than standard fingertip mats, for outstanding scraping action
- · Beveled edge reservoir retains up to 1 gallon of
- liquid per square yard

## SPECIFICATIONS

Standard Sizes: 24" X 32" 32" X 39" 36" X 72"

Total Customization: Unavailable

Finish: Rubber corrugated back and molded

Thickness: 5/8"

#### WARRANTY

1 Year



Rubber mat with corrugated back and molded edging



## #145 Crown-Tred™

SCRAPER | LIGHT TRAFFIC



FEATURE!

- Rubber made weather usag
- Affordable sc Raised patter
- SPECIFIC/

Standard Size

Rolls: Unavaila **Total Custom** Finish: Bevele Thickness: 1/

WARRAN1 1 Year

## **Indoor Matting** Scraper/Wiper mats are often viewed as the best overall matting available. Ideally used to transition between rugged external matting and internal finishing mats, they scrape off light soils and absorb and retain water and moisture. Scraper/Wipers are often used for internal entryways between external and internal doors, or as the first of two

## #202 Dura-Dot™ SCRAPER / WIPER | HEAVY TRAFFIC









3/8"Thick

Navy Blue

Stain UV and for high-perf · Anti-skid and backing

FEATURE!

• Can also be ι (not recomm storage, rolli

### SPECIFICA Standard Size

(Mats ha Rolls: 3' x 82' 3'3"(1n 9'10" (3 (rolls do r

**Total Custom** Thickness: 3/ **WARRAN**1

1 Year

internal entry mats Wiper mats or "finishing" mats are best thought of as the final step in managing dirt and debris at the point of entry. The surface fibers pull off lingering dirt and dust, while absorbing and retaining water and wetness. Preventing the moisture from getting onto floors keeps them dry and safe. Wiper mats are also often used to support cleanliness throughout the building, such as outside of restrooms or kitchen and cafeteria entrances. 10

## **#228** Marathon™ SCRAPER / WIPER | HEAVY TRAFFIC







#### FEATURE!

- · Heavy-duty r scraping and
- Reinforced la increased dir

## ThermoFlex<sup>Tf</sup> durability an SPECIFIC/

Standard Size Rolls: Total Customi Finish: Therm

Thickness: 1/ WARRAN1 1 Year

### **INDOOR MATS**

## **#225** Tire-Track™ SCRAPER / WIPER | HEAVY TRAFFIC



#### **FEATURES**

- Industrial strength carpet can hold up to 2 gallons of liquid per square yard
- · Unique pattern offers effective scraping action and long lasting appearance
- ThermoFlex™ vinyl backing offers superior floor protection

## **SPECIFICATIONS**


Standard Sizes: 2'x 3' 3'x 10' 4'x 6' 4'x 10' Rolls: 3'x 60' 4'x 60' 6'x 60' Total Customization: Length/Width cuts up to

6' x 60' Finish: ThermoFlex™ vinyl backing/borders

Thickness: 3/8"

## WARRANTY


1 Year



Bi-Level Polypropyline needlepunch pattern. 3/8"Thick

## **#300** Grounds-Keeper™

WIPER | HEAVY TRAFFIC



## **FEATURE!**

- Retains 60% popular Rely
- Dries three ti
- rental mats ThermoFlex\*\*

Rely-On Olef

SPECIFIC/ Standard Size

Rolls: **Total Customi** Finish: Therm

Thickness: 1/ WARRAN1 1 Year



## #270/271 EcoPlus™ SCRAPER / WIPER | HEAVY TRAFFIC



## **FEATURES**

- · Elevated construction will scrape shoes and hold dirt beneath shoe level, while absorbing up to one gallon of moisture
- Soft 100% recycled polyester fiber top surface allows for better wiping action
- Rubber blend backing with 20% postconsumer recycled tires

## **SPECIFICATIONS**

Standard Sizes: 2'x 3' 3'x 10' 4'x6 4'x 10

Total Customization: Limited length cuts up to 6'x 20'

Thickness: 3/8"



## #365 Skyline

WIPER | MEDIUM TRAFFIC

1/2"Thick



#### **FEATURE!** · Enhance the

- Twisted and
- maximum pe · Nitrile rubbe

SPECIFIC/ Standard Size

Finish: Nitrile Thickness: 1/

WARRAN1 1 Year



## WARRANTY

1 Year

3/8"Thick

## **INDOOR MATS**

## #240 Needle-Pin®

SCRAPER / WIPER | MEDIUM TRAFFIC



#### **FEATURES**

- · Raised berber-style surface that scrapes dirt
- Crush resistant surface reduces appearance of foot traffic
- ThermoFlex $^{\text{TM}}$  vinyl backing offers superior floor protection

## SPECIFICATIONS

Standard Sizes: 2'x 3' 2'x 3' 3'x 4' 3'x 10' 4'x 6' 4'x 10' 3'x 60' 4'x 60' 6'x 60' Total Customization: Up to 11'9"x60' Finish: ThermoFlex™ vinyl backing/borders Thickness: 7/16"

#### WARRANTY





WIPER | HEAVY TRAFFIC





Marlin Blue



Two-tone color mat for a better camouflage of particles. 1/2"Thick

## traditional Re SPECIFIC/ Standard Size

**FEATURE!** 

 Unique micro dust and mo

• Positively cha

lint, dust and

· Holds close t

Rolls: Total Custom Finish: Therm Thickness: 1/

**WARRAN**1 1 Year



## **#230** Chevron™

SCRAPER / WIPER | MEDIUM TRAFFIC



## **FEATURES**

- · Vivid, nonfading colors that resist fading
- $\bullet$  ThermoFlex  $\!\!^{\text{\tiny TM}}$  vinyl backing offers superior floor protection
- Surface made from 50% P.E.T. recycled fibers

## **SPECIFICATIONS**

Standard Sizes: 2'x 3' 3'x 4' 3'x 5' 3'x 10' 4'x 6' 4'x 10' 3'x 60' 4'x 60' 6'x 60' Total Customization: Up to 11'9" x 60'

Finish: ThermoFlex™ vinyl backing/borders

Thickness: 5/16"

WARRANTY



## **#310** Wonder-Pro™

WIPER | MEDIUM TRAFFIC



Navy Blue

## FEATURE! • Retains 60%

- our popular i • Wide selectic
- Premium ving barrier to hel

## SPECIFIC/ Standard Size

Rolls: **Total Custom** Finish: Thermo Thickness: 7/

WARRAN1 1 Year



**INDOOR MATS** 

#235 Needle-Rib™

SCRAPER / WIPER | LIGHT TRAFFIC

#250/251 Super-Soaker™ SCRAPER / WIPER | LIGHT TRAFFIC

Pebble Brown

**FEATURE** 

• Non-skid nik

Crush-proof

dirt beneath

100% solution



#### **FEATURES**


- Unilateral ribbed pattern on vinyl backing that traps moisture and protects floors
- · Quick drying and fade resistant
- · Surface made from 50% P.E.T. recycled fiber

#### **SPECIFICATIONS**

Standard Sizes: 2'x 3' 3'x 10' 4'x 6' 4' x 10' Rolls 3'x 60' 4'x 60' 6'x 60' Total Customization: Up to 6'x 60'

Finish: Vinyl backing and borders

WARRANTY









SCRAPER / WIPER | LIGHT TRAFFIC

#261/262 Super-Soaker™ I



## **SPECIFIC** Standard Siz Finish: #250

Thickness: 3, WARRAN 1 Year

## **#345** Eco-Step™

WIPER | MEDIUM TRAFFIC



#### **FEATURES**

- · Retains 20% more liquid and fine dirt than our popular Rely-On Olefin™
- · Premium vinyl backing with natural organic resin blend prevents water from damaging floor
- New green generation wiper mat made of 100% P.E.T. fiber recycled surface!

#### SPECIFICATIONS

SI ECII ICATIONS					
Standard Sizes:	2'x 3'	3'x 4'	3'x 5'		
	3'x 10'	4' x 6'	4'x 10'		
Rolls:	3'x 60'	4'x 60'	6'x 60'		
<b>Total Customiza</b>	tion: Up	to 11′9 x 6	50'		
Finish: ThermoFl	ex vinyl b	acking/b	orders		

Thickness: 1/4"

WARRANTY





- Make your c rich-looking
- Molded rubi
- and easy ma · Backing con

**SPECIFIC** Standard Siz

Finish: #261 Thickness: 3. WARRAN

1 Year

## #315 Rely-On Olefin™

WIPER | LIGHT TRAFFIC



### **FEATURES**

- Economical olefin wiper mat available in a wide array of colors to match most décors
- Small profile fits under most doors
- · Vinyl backing provides moisture barrier to help

## **SPECIFICATIONS**

Standard Sizes:	2'x 3' 3'x 10'	3'x 4' 4'x 6'	3'x 5' 4'x 10'		
Rolls:	3'x 60'	4'x 60'	6'x 60'		
Total Customization: Up to 6'x 60'					

Finish: Vinyl backing and borders Thickness: 7/16"

## WARRANTY









Pebble Brown

## #252/253/254 Super-Soa SCRAPER / WIPER | LIGHT TRAFFIC

(Premium color)









Dark Bro





Burgundy

Walnut


### **FEATURE** Includes all t

- Diamond lin · Finished wit
- aesthetic loc
- One-piece n

SPECIFIC Standard Siz

**Total Custom** Finish: #252 #254 Double Thickness: 3,

WARRAN 1 Year



## **Graphic Inlay**

Used in heavy indoor traffic areas. Our patterns (Marathon™, Oxford™ Elite an definition digital ink print nylon desig statement. The backing is our Thermo Maximum customized size is 11 ft 9 in

## #020 Marathon™ Graphic In

LOGO MATS | SCRAPER / WIPER | HEAVY TRA

## **FEATURES**

- · Raised pattern scrapes dirt and removes moisture efficiently
- High-definition logo printed on dense nylon fibers and inserte the mat to create a strong visual message
- ThermoFlex™ vinyl backing offers superior floor protection

entrance mats, a centerpiece for a lobby or reception areas, or a way to build an organization's image wherever internal matting is utilized.


**Crown Matting Technologies** provides a number of options for customers looking to add a logo to their overall matting programs. From flocked mats and Graphic Inlays to HD Jet **Print and Crown-Tred Printed** Mats. Crown can best match your need with the most appropriate matting application.

In addition to logo mats, Crown offers an extensive line of specialty mats and accessories to meet even the most complex or unique matting challenges.

s-Over™ Graphic Inlay p. 19



**LOGO MATS** 



· No minimum quantity, no set up charge, PMS color match ava

#### **SPECIFICATIONS**

Standard Sizes: 3'x 5' 3'x 10' 4'x 6' 4'x 8' 4'x 10'

Rolls: Unavailable

Total Customization: Up to 11'9" x 60'

 $\textbf{Finish:} ThermoFlex^{\text{TM}} \ vinyl \ backing \ and \ borders/ \ High-definition \ and \ high-definition \ and \ and \ high-definition \ and \ high-$ Graphic Inlay

For colors and additional product information see #228 Marathon on page 11.

## #022 Cross-Over™ Graphic I

LOGO MATS | SCRAPER / WIPER | MEDIUM TRA

#### **FEATURES**

- · Abrasive loop-pile surface scrapes debris and moisture from f while sturdy olefin fibers start the drying process
- · High-definition logo printed on dense nylon fibers and inserte the mat to create a strong visual message
- $\bullet$  ThermoFlex  $^{\!\top\!\!M}$  vinyl backing offers superior floor protection
- · No minimum quantity, no set up charge, PMS color match ava (surcharge)

#### **SPECIFICATIONS**

Standard Sizes: 3'x 5' 3'x 10' 4'x 6' 4'x 8' 4'x 10'

Unavailable

Total Customization: Up to 11'9" x 60"

Finish: ThermoFlex™ vinyl backing and borders/High-definition

For colors and additional product information see #255 Cross-Over™ on page 5.

## **Flocked Mats**

Used for moderate to low traffic areas for indoor use only. A logo is produced on our Olefin Mat using electrical statically charged nylons fibers creating a strong visual of your image and message. The imprint will be slightly raised and able to apply up to 4 colors.

## #010 Flocked Mat

LOGO MATS | WIPER | LIGHT TRAFFIC

### **FEATURES**

- 100% olefin mat with vinyl backing absorbs moisture, traps fine dust and protects floors
- Flocked process; nylon fibers electrostatically charged and applied to the carpet surface with adhesive
- Available on different carpet quality (Rely-On<sup>™</sup> light usage, Eco-Step<sup>™</sup> - 100% recycled surface - medium usage)
- More than 20 PMS contrasting flocking colors available should state "SPECIAL COLORS ON REQUEST SURCHARGE APPLIES, CONTACT CUSTOMER SERVICE"

## **SPECIFICATIONS**

Standard Sizes: 2'x 3'

4'x 6' 3'x 6' Rolls: Unavailable

Total Customization: Available; call customer service

Finish: Contrasting flocking colors

## WARRANTY

1 Year

## **COLORS**

## **Mat Colors:**

Black, Burgundy, Castellan Red, Charcoal, Evergreen, Marlin Blue, Mid-Gray, Navy Blue, Pebble Brown, Walnut, Solid Red, Solid Blue, Walnut\*, Charcoal\*, Granite\*, Midnight Blue\* \*Eco-Step™ Only

### Flock Colors:

PMS 199C, PMS 3435C, PMS 129C, PMS 209C, PMS MAGENTA, PMS 166C, PMS 466C, PMS 320U, WHITE, PMS 287C, PMS 267C,

## **#050** Embossed Ergonomic Mat

LOGO MATS | ERGONOMIC | DRY AREAS

### **FEATURES**

- · Stimulates blood circulation and reduces muscular pain caused by standing for long periods of time
- · High-quality embossed image technology for maximum durability
- · Set-up fee required/Choose up to 3 logo colors. Min. order 50 mats
- · Also available with anti-microbial additive, Min. order 300 Mats. Call customer service

## **SPECIFICATIONS**

**Standard Sizes:** 2'x 3' 3'x 4' 3'x 5'

Rolls: Unavailable Total Customization: Available; call customer service

Style 1 - Embossed no color Style 2 – Embossed with vinyl Style 4 - Digital file print contact customer service

WARRANTY

## COLORS

Tuff Spun 3/8" – Black, Gray

3/8" or 1/2' Zedlan - Black, Royal Blue, Steel Gray

## **HD Jet Print**

Used in heavy traffic areas for indoor mat allows excellent color tones and The backing is a premium 70 mil viny

## #035 HD Jet-Print™

LOGO MATS | WIPER | MED-HEAVY TRAFFIC

### **FEATURES**

- · Unlimited color combinations available to create your person message or logo. PMS color match available (surcharge)
- High-Definition logo printed hylon mat offers up to 10 times t definition of a regular printed mat. Retains 50% more liquid a dirt than our standard Jet Print
- No minimum quantity, no set-up charge

## SPECIFICATIONS

Standard Sizes: 24" x 35" (apx. 2' x 3') 35" x 47" (apx. 3' x 4') 35" x 59" (apx. 3' x 5') 45" x 69" (apx. 4' x 6') 35" x 119" apx. 3' x 10") 45" x 95" (apx. 4' x 8')

58" x 119" (apx. 5' x 10') this size is not on the sell sheet, but it is available 68" x 119" (apx. 6' x 10') 68" x 143" (apx. 6' x 12')

Rolls: Unavailable

Total Customization: Length/Width cuts up to 6'x40' Finish: Vinyl backing and borders, Excellent digital reproduction

WARRANTY

COLORS

Up to 150 available colors

**Crown-Tred Printed Mat** 

PIVID 2940, PIVID 4020, PROCEDO TELLOVY C, PIVID 100C, DLUE U, PMS 424U, PMS 421U, PMS 282C, BLACK



**SPECIALTY** 

## #900 Stat-Zap® Carpet Top



#### **FEATURES**

- Attractive conductive loop carpet with a resistivity of 109 ohms per square
- Anti-slip Rug-Hugger™ backing to reduce mat movement on carpeting
- · Stock mats include ground cord, which can be connected to an electrical outlet

#### SPECIFICATIONS

Standard Sizes: 2'x 3' 3'x 4' 3'x 5' 3'x 6' 3'x 10' 4'x 6' 4'x 8' 4'x 10'

4'x 60'

Total Customization: Custom cuts need one grounding cord per 10' (sold separately) Finish: Vinyl backing and borders with anti-slip Rug-Hugger™

WARRANTY 1 Year





## #995 Walk-N-Clean™

**SPECIALTY** 



- · 60 shoe-cleaning tacky sheets treated with an anti-microbial agent protects against growth of bacteria, mold and mildew
- · Nontoxic, refillable frame with a slip resistant backing
- When top layer is dirty, simply peel and discard

## SPECIFICATIONS

Standard Sizes: Single Tray: 31 1/2" x 25 1/2" Double Tray: 31 1/2" x 51"

Refill 30" x 24" (case of 4 replacement pads)

Finish: Nonskid polyethylene backing

WARRANTY 1 Year



## #102 Disinfectant Boot Bath

**SPECIALTY** 



- · 2" raised wall to hold any USDA accepted disinfectant sanitizer or liquid for hygienic cleaning
- · Aggressive rubber fingertips scrape bottom of boots reducing the risk of cross
- · Yellow raised borders for high visibility and increased safety

### **SPECIFICATIONS**

Standard Sizes: 32" x 39"

Total Customization: Unavailable

WARRANTY 1 Year



## #990 Chair Mats

**SPECIALTY** 



## **FEATURES**

- · Commercial-quality chair mats for offices allow desk chairs to move effortlessly
- Available in different models for all types of carpet and flooring and anti-static (10<sup>11</sup> ohms per square) option

## **SPECIFICATIONS**

Standard Sizes: 45" x 53" with 12"x25" lip 46" x 60" with 12"x25" lip

Custom Sizes: Ask customer service

WARRANTY 1 Year

Used in neavy traffic areas for outdoor, indoor use. The nitrile rubber scraper will withstand all weather elements an is UV protected. The image is digitally printed on a thermoplastic material an molded onto the mat which allows excellent color tones and color variation The permanent bond process allows fo long lasting impression.

## Rug-Hugger™ Backing

#### **FEATURES / SPECIFICATIONS**

- Anti-slip backing to reduce mat movement on carpets
- Can be factory applied to most vinyl backed products

## Mat-Lock™ Backing **ACCESSORY**

## **FEATURES / SPECIFICATIONS**

- Slip-resistant backing to secure mat to hard surfaces such as v
- · Can be factory applied to most vinyl backed products

## **Velcro® Backing Strips**

**ACCESSORY** 

### **FEATURES / SPECIFICATIONS**

- Self-applied adhesive Velcro strips to secure mat to loop-pile
- · Can be easily applied to most vinyl backed products
- Available in 4" wide strips cut to length or by the 75' roll

## Nosing

**ACCESSORY** 

### **FEATURES / SPECIFICATIONS**

- Loose edging to be applied to ends of your mat
- Available in standard rolls of ¾" x 100' or heavy-duty rolls of 1

## Tack-Tape™

**ACCESSORY** 

## **FEATURES / SPECIFICATIONS**

- Specially designed double-sided tape for securing foam prod
- Roll dimensions, 4" x 250'

## **Ergonomic**

Ergonomic mats help ease leg, foot, and lower back fatigue and pain and can also assist in the areas of slip resistance, wet-area drainage, and worker safety.

#### Strong. Resilient. Safe.

Three critical matting features that can dramatically influence the success of your workforce and your business. Zedlan™ Foam was developed with these workplace imperatives in mind.

- Strong Zedlan™ Foam outwears similar products by nearly 3-to-1
- Resilient Zedlan™ Foam has three times the bounce of traditional ergonomic products
- Safe combined with our exclusive slip resistant technology, Zedlan™ Foam offers superior traction compared to standard foam products

Zedlan™ Foam. Just one more way we support our customers by developing industry leading products that support their workforce.

Comfort King™ p. 28

## #546/556 Workers-Delight

DRY AREA | PREMIUM









Brown

Zedlan™ Foam

## FEATURES

- Our new mode patented Zecce
- combination

   UV-Cured PV
  maintenance
- New slip-resismat ensures surfaces
- Use for cashidental offices warehousing

SPECIFICA Standard Size Rolls:

Thickness: #5

WARRAN1 Lifetime Warr

## #541 Workers-Delight™ Sup









Zedlan™ Foam

## FEATURES • Puncture-res

- Puncture-res
   better durab
- Patented Zec fusion techno of durability
- New slip-resi mat ensures smooth surfa
- Use for cashimedical/den modules, was

SPECIFICA Standard Size

Total Customi Thickness: #5

WARRAN1 Lifetime Warr

**ERGONOMIC MATS** 

24

## **#543/#553** Workers-Delight™Traction Plus

DRY AREA | PREMIUM

## **FEATURES**

- Innovative PVC raised-herringbone top surface affords multi-directional grip
- Patented Zedlan™ Foam combined with our fusion technology creates an unmatched level of durability and comfort
- New slip-resistant coating on underside of mat ensures steadiness and control on smooth surfaces
- Use for finishing stations, assembly stations and work stations

## SPECIFICATIONS

**Standard Sizes:** 2'x 3' 3'x 5' 3'x 12'



Herringbone PVC surface



## **#560/#562** Wear-Bond™C

DRY AREA | BEST



#560 Foam-injected PVC pebble embossed surface



## of durability

 Use for work pharmacies, stations

FEATURES

Wear-Bond™

foam-injecte

rigid PVC/rub

 Patented Zec fusion technology

SPECIFICA Standard Size



Rolls: 2'x75' 3'x75' 4'x75' Total Customization: Up to 12' wide Thickness:

#543 - Standard - 5/8" (30% recycled content)

#553 - Ultra - 7/8" provides 50% more comfort (20% recycled content)

#### WARRANTY

Lifetime Warranty against delamination

### **COLORS**



Rounded corners and beveled edges



#562 Foam-injected PVC deck-top surface



Zedlan™ Foam

Rolls: **Total Customi** Thickness: 9/

WARRAN1 Lifetime Warr

**COLORS** #560 Pebble S #562 Deck-Top

## **#540/#550** Workers-Delight™ Deck Plate

DRY AREA | PREMIUM



## **FEATURES**

- Deck plate PVC surface offers comfort and
- Patented Zedlan™ Foam combined with our fusion technology creates an unmatched level of durability and comfort
- New slip-resistant coating on underside of mat ensures steadiness and control on smooth
- · Use for assembly lines, work stations, cart traffic areas, finishing stations or assembly stations

#### **SPECIFICATIONS**

Standard Sizes: 2'x 3' 3'x 5' 2'x 75' 3'x 75' 4'x 75' Total Customization: Up to 12' wide

Thickness: #540 - Supreme - 5/8"

(25% recycled content)

#550 - Ultra – 7/8" provides 25 % more comfort (20% recycled content)

#### WARRANTY

Lifetime Warranty against delamination


#### **COLORS**

Black & Yellow, Gray, Black





Zedlan™ Foam with slip-resistant coating



Rounded corners and beveled edges

## #465 Alleviator™ Comfort-K

DRY AREA | BEST



Textured surface



Zedlan™ Foam

#685 Safety-Step™ Solid-To

Solid rubbe



FEATURES

- Double-thick unmatched o
- Specifically d work stations
- Use for cashie pharmacies c

## SPECIFIC/

Standard Size Rolls: **Total Customi** 

Thickness: 7/

WARRAN1 1 Year

**COLORS** Steel Gray, Blad




DRY AREA | BETTER

26

**ERGONOMIC MATS** 

## **#440/#445** Comfort-King™ DRY AREA | BEST



## **FEATURES**

- Patented Zedlan™ Foam outwears other foam products by nearly 3-to-1
- Available with anti-microbial additives to help prevent mold, mildew, and bacterial growth Use for work stations, finishing/assembly
- stations, cashier stations or pharmacies

## **SPECIFICATIONS**

Standard Sizes: 2'x 3' 3'x 5' 2'x 60' 3'x 60' 4'x 60'\* Rolls: \*Not available with yellow borders

Total Customization: Up to 60'

Thickness:

#440 - Standard - 3/8"

#445 - Supreme - 1/2" provides 33% more comfort

### WARRANTY

1 Year


### **COLORS**

Black & Yellow, Steel Gray, Royal Blue, Black



Textured surface





Rubber nibs on underside



**FEATURE!** Solid rubber

- for unlimited configuration
- · Optional sna or yellow
- Use for facto or assembly I

SPECIFICA Standard Size Total Custom Thickness: 5/

WARRAN1 1 Year

COLORS Black with buil **Beveled Blac** 



#649 Para-Mount™

DRY AREA | BEST

**FEATURES** 

#695 Yoga-Flex® DRY AREA | BETTER

FEATURE!

· High/Low bu

micro-mover

muscle pain

 Interlocking of matting (4

 Use for factor assembly sta

areas



- Patented nitrile rubber construction resists water, oil, and solvents
- Anti-microbial properties help prevent mold, mildew, and bacterial growth
- Nitrile rubber properties allow for an easy-to-clean product
- · For use in virtually any work station, wet or dry

#### **SPECIFICATIONS**

Standard Sizes: 2'x 3' 3'x 5' 3'x 10' 4'x 6'

Thickness: 3/4"

#### WARRANTY

1 Year

## **COLORS**

Black



Textured surface



100% Nitrile rubber







Industrial grade rubber



SPECIFIC/ Standard Size Mat: Modular Cer Modular End **Total Custom** 

Thickness: 1/ WARRAN1 1 Year

**COLORS** 

**DRY AREAS** 

## #520/#522 Wear-Bond™Tuff-Spun®

DRY AREA GOOD



## **FEATURES**

- Wear-Bond™ process molecularly bonds foam-injected PVC top surface with industrial-grade foam, creating greater overall comfort than rigid PVC/rubber-type surfaces
- · Use for assembly stations, packaging areas, service counters or cashier stations

#### **SPECIFICATIONS**

Standard Sizes: 2'x 3' 3'x 5' 2'x 75' 3'x 75' 4'x 75'

Total Customization: Up to 75' Thickness: 9/16"

## WARRANTY

1 Year

### **COLORS**

#520 Pebble Surface: Black & Yellow, Black, Gray #522 Deck-Top Surface: Black & Yellow, Black



#520 Foam-injected PVC



#522 Foam-injected PVC deck-top surface



## #680/#681 Safety-Step™ F

WET / OILY AREA | PREMIUM



#681 Nitrile Rubber Blend Terra Cotta (grease resistant,15% recycled)



#680 Rubber Black (general purpose



5/8" thick nibbed backing

## **FEATURE**

- Terra Cotta r range of gre
- Heavy-duty liquid and cu
- Use for facto stations, grir

**SPECIFIC** Standard Siz **Total Custom** Thickness: 5 Finish: Bevele

WARRAN 1 Year

**FEATURE**  Low profile r increased sa

Raised surfa

• Use for bars processing /

## #645/#646 Safewalk-Ligh

WET / OILY AREA | BEST



#**646** Nitrile Rubber Blend Terra Cotta (grease resistant)



#645 Rubber Black (general purpose)



**SPECIFIC** Standard Size 10' length ma

**Total Custom** Thickness: 1,


WARRAN 1 Year

## #667 Sani-Tred™ WET AREA | BETTER





Charcoal Grav



#### **FEATURE** • Open-grid c extruded PV

Sanitized an

 Use for healt saunas and . is extensive

**SPECIFIC** Total Custom Thickness: 3,

WARRAN

## #410/#411/#430/#431 Tuff-Spun® Foot-Lover™

DRY AREA GOOD

## **FEATURES**

- Closed-cell PVC foam optimizes economical comfort and fatigue relief
- · Beveled edges help reduce tripping hazards
- Use for service counters, mailrooms, cashier stations or warehousing/packaging stations

## **SPECIFICATIONS**

2'x 3' 3'x 5' 3'x 12' 27"x 3' Standard Sizes: 2'x 3' Rolls: 2'x 60' 3'x 60' 4'x 60' 6'x 60'\*

Total Customization: Up to 60'

Thickness: #410, #430: 3/8" **#411, #431**: 5/8"\*


\*Not available with yellow borders

## WARRANTY

1 Year

### **COLORS**

#410, #430 Ribbed Surface:



#410/#430 Ribbed embossed surface



#411/#431 Pebble embossed surface





Black & Yellow, Black, Gray #411, #431 Pebble Surface: Black & Yellow, Black, Gray

Industrial grade foam



1 Year

**RUNNERS** 

## #820 Pro-Tekt™



· Economical, pebble-surfaced vinyl foam runner allows for a variety of uses · Cost effective, slip-resistant and chemical-resistant floor protection

#### **SPECIFICATIONS**

Rolls: 3'x 60' 4' x 60' 6' x 60' Total Customization: Length cuts up to 60'

WARRANTY 1 Year COLORS Black



## #850 Deck Plate



## **FEATURES**

- · Distinctive raised-diamond pattern increases traction and durability
- Easy-to-clean vinyl surface is resistant to most common chemicals

#### **SPECIFICATIONS**

2'x 75' 3'x 75' 4'x 75' Total Customization: Length cuts up to 75'

WARRANTY 1 Year COLORS Black

## #800 Sta-Kleen™



#### **FEATURES**

- · Industrial grade round-rib vinyl runner
- Surface resists normal acids, alkalis, oil, grease and most organic solvents, if removed quickly

## **SPECIFICATIONS**

2'x 105' 3'x 105' 4'x 105' Total Customization: Length cuts up to 105'

WARRANTY 1 Year COLORS Black



5/32"Thick

## **#840** Corrugated Rubber



## **FEATURES**

- Durable V-groove rubber surface is slip-resistant
- Resists abrasion



2'x 75' 3'x 75'

Total Customization: Length cuts up to 75'

WARRANTY 1 Year COLORS Black

## **#871/872** Gym-Dandy™



· Cost-effective PVC foam solution to protect floors during special events Simple to install with our Gym-Dandy™ Caddy #872 (sold separately)

### SPECIFICATIONS

3'x 105' 4'x 105' Rolls:

Total Customization: Length cuts up to 4'x 105'

WARRANTY 1 Year

COLORS Black



## **Care and Maintenance**

## **Use & Care Instructions – Entrance Matting**

Regular maintenance of your mats is critical to ex mat life and appearance. It is recommended to d regular maintenance schedule. Frequency will de traffic and soil conditions.

#### **INITIAL MAT USE**

- 1 Within a few days of receipt, rolled mats shoul unrolled and laid flat.
- 2 Normal shedding or "fuzzing" may occur with new carpet top mats. This will disappear after vacuumings.
- 3 Some rubber mats may have an oily or sticky f them. This is a releasing agent that is inherent molded mats, not a defect. Simply wash down a mild detergent or degreaser to remove this f
- 4 To store mats, roll them up and lay them in a d area with moderate temperatures. Do not star end or crush.

#### **PERIODIC INSPECTION**

Periodic inspections are recommended on a regu to check for border tears. To repair a damaged bc area, glue the section together with cyanoacrylat type (super glue) adhesive.

## **CARPET MATS AND HDNP PRODUCTS**

Entrance mats are used to capture dirt and debri: before it can be tracked into a facility. However, n must be cleaned regularly to extend their usefulr and appearance.

- 1 Vacuum daily
- 2 Hand wash or extract stains with a carpet spot a water-based carpet detergent or shampoo.
- 3 Periodically clean the mat with a carpet extrac using a water-based detergent or shampoo. D use solvent-based cleaners.
- 4 Excess water is removed by extracting or hanc mat. Let the mat dry completely before allowing

IMPORTANT! Do not use rotary scrubbers or a mechanical cleaners or scrubbers to clean.

Do not use solvents, pH detergents, or alkalis directly on the mat or use the mat in areas wh these are used.







T **800.628.5463** F 800.544.2806

T419.332.5531 F419.332.4180

2100 Commerce Drive

Fremont, Ohio 43420

U.S.A.

www.CrownMats.com

PRODUCTS AND THEIR RELATED DETAILS ARE SUBJECT TO CHANGE. PLEASE CONTACT OUR CUSTOMER SERVICE DEPARTMENT TO OBTAIN CURRENT INFORMATION.