

MERCURY FLOOR MACHINE CATALOG



PROVIDING THE FINEST global cleaning solutions!



March 2012


**CALL US TODAY IF YOU HAVE ANY QUESTIONS,
OR WOULD LIKE TO PLACE AN ORDER!**

110 South Van Brunt Street, Englewood NJ, 07631
(p) 888-568-4606 | (f) 201-568-7962 | www.mercuryfloormachines.com



ABOUT MERCURY FLOOR MACHINES, INC.

Our commitment is to consistently provide our customers with design excellence, the highest quality components and powerful performance. We believe that customer service excellence, premier quality and dynamic value, backed up by our “Best Warranty on the Planet” program, are the key ingredients to our customers’ ultimate success. We provide custom private labeling with unlimited color schemes and minimal start-up orders. Our high performance products are built to last with pride in the USA!



CONTENTS

Powerful Floor Machines	4
Dry Scrub Floor Machine.....	5
Dual Speed Floor Machine	6
Ultra High-Speed Burnishers	6
High Performance Autoscrubbers.....	7
Facility-Saving Carpet Extractors.....	8
Oreck XL Cleaning Equipment.....	9
Vacuum Equipment	10
Super CFM Air Movers	11
Cold Water High Pressure Washers	12
Hot Water High Pressure Washers	13
Floor Machine Brushes, Pad Drivers and Accessories	14
Warranty.....	15

Powerful Floor Machines

Warranty: "Best Warranty on the Planet" – 5-years on motor and chassis



HERCULES™ Super Heavy-Duty Floor Machine

Contractor's first choice!

- Contractor's first choice for spray buffing, scrubbing, stripping and bonnet cleaning
- 1.5 HP, 66-frame A/C motor
- 175 RPM transmission
- Available in six (6) apron sizes: 13", 15", 17", 19", 20" and 21"
- Rugged, all-metal construction
- Order brush and pad driver separately

Model	Apron Size	Motor	Brush Speed	Weight
H-13E	13 in.	1.5 HP	175 RPM	103 lbs.
H-15E	15 in.	1.5 HP	175 RPM	104 lbs.
H-17E	17 in.	1.5 HP	175 RPM	106 lbs.
H-19E	19 in.	1.5 HP	175 RPM	107 lbs.
H-20E	20 in.	1.5 HP	175 RPM	108 lbs.
H-21E	21 in.	1.5 HP	175 RPM	108 lbs.



HERCULES™ Sealed Sander with Sealed Bearing Motor

For Dusty Wood, Stone and Concrete.

- Engineered for hard floor finishing
- 1.5 HP, 66-frame A/C motor
- Sealed bearings protect motor from dust for a longer life
- 175 RPM transmission
- Available in 17" and 20" apron sizes
- Rugged, all-metal construction

Model	Apron Size	Motor	Brush Speed	Weight
H-17S	17 in.	1.5 HP	175 RPM	106 lbs.
H-20S	20 in.	1.5 HP	175 RPM	107 lbs.
Accessories				
PVKIS	Dust Skirt for H-17S, for Wood Floor Sanding			
PVKISM	Dust Skirt for H-20S, for Wood Floor Sanding			
12TV027	Sanding Kit for H-17S and H-20S			



LO-BOY™ Super Heavy-Duty, Ultra-Quiet Floor Machine

Ultra Quiet Power!

- Ultra-quiet operating with gearbox located under the apron
- 1.5 HP, 66-frame A/C motor
- 175 RPM transmission
- Available in five (5) apron sizes: 15", 17", 19", 20" and 21"
- Rugged, all-metal construction
- Order brush and pad driver separately

Model	Apron Size	Motor	Brush Speed	Weight
L-15E	15 in.	1.5 HP	175 RPM	96 lbs.
L-17E	17 in.	1.5 HP	175 RPM	99 lbs.
L-19E	19 in.	1.5 HP	175 RPM	102 lbs.
L-20E	20 in.	1.5 HP	175 RPM	103 lbs.
L-21E	21 in.	1.5 HP	175 RPM	105 lbs.



Contact us for more information or to place your order:
 phone: 888-568-4606 | fax: 201-568-7962 | sales@mercuryfloormachines.com

Powerful Floor Machines *Continued*

Warranty: 5"Best Warranty on the Planet" – 5-years on motor and chassis



The BOSS™ Super Heavy-Duty Floor Machine with Interchangeable Aprons

A Complete Floor Machine Fleet!

- Build a fleet of buffers with up to five (5) aprons on one powerful machine!
- 175 RPM and 175/300 RPM models
- Available in five (5) apron sizes: 13", 15", 17", 19" and 21"
- Order brushes, pad drivers and pads separately

Model	Brush Speed	Motor	Weight
BOSS-1	175 RPM	1.5 HP	101 lbs.
BOSS-II	175/300 RPM	1.5 HP	101 lbs.
Aprons with Bumpers			
A-163-1	13" Apron with Bumper		3 lbs.
A-167-1	15" Apron with Bumper		4 lbs.
A-169-1	17" Apron with Bumper		5 lbs.
A-171-1	19" Apron with Bumper		6 lbs.
A-172-1	21" Apron with Bumper		7 lbs.
<i>A complete order includes (1) base unit and (1) or more aprons</i>			



The BOSS™ Multi-Tasker Floor Machine with Solution Tank and Weight Set

Maintain Stone, Carpet, Tile and Wood Floors.

- Maintains every type of floor in every size facility!
- 1.5 HP, 66-frame A/C motor
- Powerful 175 RPM transmission
- Includes 13", 17" and 21" aprons and pad drivers, SST-4 solution tank and unicorn 50 lb. weight set

Model	Description	Weight
BMT-175	The BOSS Multi-Tasker 175 RPM, 1.5 HP, Super HD Floor Machine Includes: 13", 17" and 21" Interchangeable Aprons; 12", 16" and 20" Pad Drivers; SST-4 Solution Tank; Unicorn 50 lb. Weight Set	175 lbs.

Dry Scrub Floor Machine

Warranty: 1-year



One-Touch Dry Scrub Floor Machine – NEW!

Scrub an Entire Floor with One Machine!

- Chemical-free stripping
- Cleans edges and corners in every room
- Mercury 6-Quart Backpack attachment
- Oscillating plate completely enclosed by dust skirt and when used in conjunction with the Backpack Vacuum, captures 95% plus of all airborne particles. Light tacking is all that is needed to the prepare floor for new coats of finish!
- 12" x 18" cleaning pad size
- 1 HP motor, 120 Volt, 60 HZ
- Includes 50-foot, 14/3-gauge power cord

Model	Motor	Pad Size	Orbital Speed	Weight
DS-18	1 HP	12" x 18"	1725 RPM	120 lbs.
Accessories				
42071218	Maroon Stripping Pads (10 per Case)			
40441218	Filler Pads (5 per Case)			
<i>Note: one of each pad must be used at all times</i>				

Dual Speed Floor Machine (175/300 RPM)

Warranty: "Best Warranty on the Planet" – 5-years on motor and chassis



CLEANMASTER™ Dual Speed Floor Machine

Labor-Saving Speed!

- Two machines in one for scrubbing, spray buffing, carpet bonnet cleaning and shampooing!
- 175/300 RPM, 1.5 HP D/C motor
- Available in 17", 19" and 21" apron sizes
- Order brushes and pad drivers separately

Model	Apron Size	Motor	Brush Speed	Weight
TS-17	17 in.	1.5 HP	175/300 RPM	102 lbs.
TS-19	19 in.	1.5 HP	175/300 RPM	103 lbs.
TS-21	21 in.	1.5 HP	175/300 RPM	104 lbs.

Ultra High-Speed Burnishers

Warranty: "Best Warranty on the Planet" – 5-years on motor and chassis



DYNAMITE ULTRA D.C.™ Ultra High Speed Burnisher – NEW!

Superior Balance for Precise Control!

- Unmatched balance for precise burnishing control!
- 1HP, 15 Amp D/C rectified motor
- Reliable 1750 motor speed
- 20" apron size
- Direct driven pad driver simplifies operation
- Includes 50-foot, 14/3-gauge power cord

Model	Apron Size	Motor	Brush Speed	Weight
DC-20-1750	20"	1750 RPM	1 HP	86 lbs.



ULTRA D.C.™ Ultra High Speed Burnisher

Super Balanced, Ultra High-Speed Burnishing!

- Unmatched balance for precise burnishing control!
- 1.5 HP D/C motor
- Available in 1170, 1500 and 2000 RPM Models
- Flexible pad drivers included
- Balanced for best results

Model	Apron Size	Motor	Brush Speed	Weight
DC-19-1170	19"	1170 RPM	1.5 HP	84 lbs.
DC-20-1170	20"	1170 RPM	1.5 HP	85 lbs.
DC-21-1170	21"	1170 RPM	1.5 HP	86 lbs.
DC-19-1500	19"	1500 RPM	1.5 HP	84 lbs.
DC-20-1500	20"	1500 RPM	1.5 HP	85 lbs.
DC-21-1500	21"	1500 RPM	1.5 HP	86 lbs.
DC-19-2000	19"	2000 RPM	1.5 HP	87 lbs.
DC-20-2000	20"	2000 RPM	1.5 HP	88 lbs.
DC-21-2000	21"	2000 RPM	1.5 HP	89 lbs.



Contact us for more information or to place your order:
 phone: 888-568-4606 | fax: 201-568-7962 | sales@mercuryfloormachines.com

High Performance Autoscrubbers

Warranty: 1-year pumps and motors



SD-20E Cord Powered, 20" Single Disk Autoscrubber

Built to Last with Heavy-Duty Power!

- 1 HP vacuum motor, 1.6 HP brush motor
- 9-gallon solution tank and 10.5-gallon recovery tank
- Includes 20-foot power cord, 30" squeegee assembly and 20" nylon brush

Model	Description	Weight
SD-20E	20" Single Brush Autoscrubber with 9-Gal. Solution Tank and 10.5-Gal. Recovery Tank. Includes 50-Foot Power Cord, Squeegee Set and Nylon Brush	155 lbs.
Accessories		
730.059	20" White Nylon Disk Brush	9 lbs.
730.070	20" Pad Driver to Fit SD-20E	8 lbs.



SD-17B Battery-Powered, 17" Single Disk Autoscrubber

Our Highest Productivity Autoscrubber.

- (2) 12 Volt battery power
- 0.65 HP vacuum motor, 1.3 HP brush motor
- 8-gallon solution tank and 10.5-gallon recovery tank
- Includes 30" squeegee assembly and nylon brush
- Pad driver optional

Model	Description	Weight
SD-17B	17" Single Brush Autoscrubber with 8-Gal. Solution Tank and 10.5-Gal. Recovery Tank. Includes 50-Foot Power Cord, Battery Set, Charger, Squeegee Set and Nylon Brush	335 lbs.
Accessories		
742.059	17" White Nylon Disk Brush	5 lbs.
742.070	17" Pad Driver	5 lbs.
430.080	Rubber Squeegee Set	3 lbs.
DS-01	140 AH Battery (Order 2)	67 lbs.
DS-04	24 Volt Battery Charger	18 lbs.



TD-13 Cord Powered, 13" Twin-Directional Autoscrubber

Scrubs in Forward and Reverse!

- 9-gallon, bladder-style solution tank inside a 12-gallon recovery tank
- Includes 20-foot power cord, 13" cylindrical brush and squeegee assembly
- Scrubs in forward and reverse

Model	Description	Weight
TD-13	13" Cylindrical Brush Autoscrubber with 9-Gal. Solution Tank inside a 12-Gal. Recovery Tank. Cord Powered. Includes Squeegee Set and Standard Nylon Brush.	80 lbs.
Accessories		
400.470	13" Standard Nylon Cylindrical Brush	5 lbs.
400.472	13" Stiff Nylon Cylindrical Brush	5 lbs.
400.050	13" Squeegee Set	3 lbs.

High Performance Autoscrubbers *Continued*

Warranty: 1-year pumps and motors



MS-12 Cord Powered, 12" Mini-Scrub

The Mouse that Roars!

- Scrub with (2) 6" disk brushes
- 2.5-gallon, bladder-style solution tank inside a 3-gallon recovery tank
- Includes a 22-foot (6.7 M) power cord, squeegee set and brush set
- Scrubs in forward and reverse

Model	Description	Weight
MS-12	12" Autoscrubber with (2) 6" Brushes, 2.5-Gal. Solution Tank inside a 3-Gal. Recovery Tank. Cord Powered. Includes Squeegee Set and (2) Nylon Brushes.	80 lbs.
Accessories		
300.059	6" Nylon Disk Brush	3 lbs.
300.070	6" Pad Driver	3 lbs.
300.420	12" Suction Nozzle Assembly	9 lbs.
300.422	Squeegee Set	3 lbs.

Facility-Saving Carpet Extractor

Warranty: 1-year pumps and motors



CM-13 13" Carpet Machine

Compact, Dual Action Power.

- Fast scrubbing and easy driving!
- Compact design with a 9-gallon, bladder-style solution tank inside a 12-gallon recovery tank
- Dual vacuum head design – extract when pushing or pulling the machine
- Includes 20-foot (6.2 M) power cord and 13" standard nylon cylindrical brush

Model	Scrub Width	Tank Size	Weight
CM-13	13"	9-Gallon Solution Tank 12-Gallon Recovery Tank	100 lbs.
Accessories			
420.470	13" Standard Nylon Cylindrical Brush		2 lbs.
420.472	13" Stiff Nylon Cylindrical Brush		2 lbs.



Contact us for more information or to place your order:
 phone: 888-568-4606 | fax: 201-568-7962 | sales@mercuryfloormachines.com

ORECK XL Cleaning Equipment

Warranty: 1-year on motor and chassis



ORECK XL U2000 Upright Vacuum

Powerful Vacuum with a Lightweight Design.

- Lightweight 8 lb. upright vacuum
- Standard RHB model collects dust with a top-loading paper bag
- Hypo-allergenic filtration HHB model provides extra dust and pollen control
- Fatigue-resistant cleaning!

Model	Vacuum Width	Motor Size	Weight
U2000 RHB Standard Commercial	12"	4.4 Amp	8 lbs.
U2000 HHB Hypo-Allergenic Filtration	12"	4.4 Amp	8 lbs.
Replacement Bags			
PK8000.25	Standard Replacement Bags (25 Pack)		2 lbs.
PK8000.25DW	Hypo-Allergenic Replacement Bags (25 Pack)		2 lbs.



ORECK XL PRO-14T Heavy-Duty Upright Vacuum

14" Wide Vacuuming Results!

- 4.75-quart bag capacity
- 1000 Watt motor
- Roller brush motor automatically turns off when tools are in use
- Includes 50-foot power cord and complete tool set

Model	Vacuum Width	Motor Size	Weight
XLPRO14T	14"	1000 Watt	19 lbs.
Replacement Bags			
PKPRO14TDW	Replacement Bags (25 Pack)		2 lbs.



ORECK XL Super Compact Vacuum

Janitorial Cleaning Power for the Tightest Hard to Reach Spots.

- Lightweight yet powerful, the Super Compact Vacuum is so powerful it can pick up a 16 lb. bowling ball!
- Ideal for all hard to reach places with at least 101 uses, according to Oreck
- Uses a hypo-allergenic disposable bag with a dust-free seal
- Includes 6-piece tool kit and flexible hose

Model	Dry Capacity	Motor Size	Weight
BB 870AD	1-Quart	6.5 Amp	5 lbs.
Replacement Bags			
PKBB 12DW	Disposable Replacement Bag		1 lb.



ORECK XL Restaurateur Sweeper®

Silent Sweeping!

- 12.5" sweeping path model
- RotoBlade™ sweeps wet and dry debris
- Soft rubber wheels provide surge grip
- High impact ABS body wipes clean with a damp cloth

Model	Sweeping Width	Handle	Weight
XLPR3200	12.5"	42" Aluminum	24 lbs.

ORECK XL Cleaning Equipment *Continued*

Warranty: 5-years on motor and chassis



ORECK XL Orbiter Floor Machine

Janitorial Cleaning Power with Lightweight Design!

- Janitorial cleaning power in a 24 lb. machine!
- Offset brush drive produces a 13" orbiting scrub pattern, high-performance cleaning and easy handling
- Easy-to-use fingertip control
- Includes 35-foot power cord and 12" pad driver

Model	Scrub Diameter	Motor Size	Weight
XL550MC	13"	11 Amp	24 lbs.
Accessories			
237049	12" Dry Shampoo Brush		3 lbs.
237048	12" Unicorn Mix Brush		3 lbs.
237047	12" Orange Scrub Brush		3 lbs.
237056	12" Nylon-Grit® Scrub Brush		5 lbs.



ORECK XL Low Boy™ 9000 Floor Machine

Orbital Sanding with Dust Control.

- 19" orbiting pattern floor machine with screen sanding kit
- 19" apron with connection to your canister vacuum
- 175 RPM, 1725 orbits per minute
- Order the 16" pad driver separately
- Add the 16" sanding screen kit for safe floor sanding with no gouging

Model	Sander Size	Motor Size	Weight
LB 9000 Order Pad Driver Separately	19"	10.8 Amp	74 lbs.
Accessories			
1914	Black Micro Hook-Style Pad Driver		7 lbs.
1915	Green Bristle-Style Pad Driver		7 lbs.
12TV027	Vacuum Hose and Hardware Kit		6 lbs.

Vacuum Equipment

Warranty: 1-Year



Mercury STORM Wet/Dry Vacuums

Wet or Dry Pickup with Poly or Chromed Steel Tanks

- Powerful dual 2.67 HP, 2000 Watt vacuum motors
- 225 CFM (106L/Sec.) airflow, 78" Water Lift
- 20-gallon (75 L) tanks – select chromed steel or super-durable poly tanks
- Includes 10-foot vacuum hose, steel "S" wand and 4-piece tool kit
- Optional 25-foot vacuum squeegee assembly

Model	Dry Capacity	Wet Capacity	Motor Size	Weight
WVC-20 with Chromed Steel Tank	20-Gallon	15-Gallon	(2) 2.67 HP	67 lbs.
WVP-20 with Poly Tank	20-Gallon	15-Gallon	(2) 2.67 HP	67 lbs.
Accessories				
WVS-20	Optional 25" Vacuum Squeegee Assembly - Permanent			
WVS-20B	Step-On Squeegee Assembly			



Contact us for more information or to place your order:
phone: 888-568-4606 | fax: 201-568-7962 | sales@mercuryfloormachines.com

Vacuum Equipment *Continued*



TV66 Wet/Dry Tank Vacuum

Powerful Wet or Dry Vacuum Pickup!

- Picks up the heaviest and wettest soils with high airflow vacuum pickup!
- 6.6-gallon capacity
- 1.75 HP vacuum motor
- 1-year warranty

Model	Dry Capacity	Wet Capacity	Motor Size	Weight
TV-66	6.6-Gallon	3.1-Gallon	1.75 HP	15 lbs.



The ACE 10-Quart Backpack Vacuum

A Powerful Lightweight, Portable Vacuum.

- 1.75 HP, 2-stage motor, 150 CFM airflow
- Super quiet, 70 dBA design
- 10-quart capacity with a disposable micro-bag inside a cloth shakeout bag
- Quick conversion to a blower!
- Includes 5-piece tool kit
- "Best Warranty on the Planet" – 5-years on chasis, 2-years on motor, 1-year tools

Model	Dry Capacity	Air Flow	Motor Size	Weight
88-8888	10-Quarts	150 CFM	1.75 HP	10.5 lbs.
Replacement Bags				
88-8888 BAG	Disposable Replacement Bags (10 Pack)			1 lb.

Super CFM Air Movers

Warranty: 1-Year



Mercury AM-4 3-Speed Air Mover

Moves Air at 3 Speeds and 3 Angles!

- 1/2 HP, 115 Volt vacuum motor
- Operates at 3-speeds, up to 1500 CFM
- Designed to operate at three angles
- Includes 20-foot, 16/3-gauge power cord

Model	Motor Size	Motor Speed	Air Speed	Weight
90-2000	1/2 HP, 3-Speed	780 RPM	1060 CFM	31 lbs.
		950 RPM	1360 CFM	
		1100 RPM	1500 CFM	



High Roller Air Mover – NEW!

High Airflow with the Convenience of Easy Transport.

- 1/2 HP, 115 Volt vacuum motor
- Operates at 3-speeds, up to 1500 CFM
- Designed to operate at two angles
- Top of the line retractable handle for single-handed use and maneuverability
- Double ball-bearing urethane wheels for effortless transportation
- Includes 20-foot, 16/3-gauge power cord

Model	Motor Size	Motor Speed	Air Speed	Weight
90-2000WH	1/2 HP, 3-Speed	780 RPM	1060 CFM	33 lbs.
		950 RPM	1360 CFM	
		1100 RPM	1500 CFM	

Cold Water High Pressure Washers

Stationary Compact Cold Water High Pressure Washer



2.1 GPM at 1500 PSI

- 2 HP HD electric motor
- 115 Volt, 1 PH, 20 Amps
- Includes 24" wand, trigger gun and 25-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump

Model	Motor	Wand	Hose
PW-COMPACT CC	2 HP HD Electric Motor	24"	25-Foot
Wheels	No Wheels		

Portable Compact Cold Water High Pressure Washer



2.1 GPM at 1500 PSI

- 2 HP HD electric motor
- 115 Volt, 1 PH, 20 Amps
- Includes 24" wand, trigger gun and 25-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- (2) 10-inch pneumatic wheels

Model	Motor	Wand	Hose
PW-COMPACT-OPT	2 HP HD Electric Motor	24"	25-Foot
Wheels	(2) 10-Inch Pneumatic Wheels		

Power X-Trem Cold Water High Pressure Washer



3.5 GPM at 4000 PSI

- 13 HP Honda gas engine
- Includes 36" wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- (2) 10-inch pneumatic wheels

Model	Engine	Wand	Hose
PW-POWER X-TREM	13 HP Honda Gas Engine	36"	50-Foot
Wheels	(2) 10-Inch Pneumatic Wheels		

Force Belt Cold Water High Pressure Washer



4 GPM at 3500 PSI

- 13 HP Honda gas engine
- Includes 36" wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- Stainless steel belt guard
- (2) 10-inch pneumatic wheels

Model	Engine	Wand	Hose
PW-FORCE BELT	13 HP Honda Gas Engine	36"	50-Foot
Wheels	(2) 10-Inch Pneumatic Wheels		
Includes	Stainless Steel Belt Guard		



Contact us for more information or to place your order:
 phone: 888-568-4606 | fax: 201-568-7962 | sales@mercuryfloormachines.com

Hot Water High Pressure Washers

Electric 2 HP Hot Water High Pressure Washer



2 GPM at 1500 PSI

- 2 HP HD electric motor, 115 Volt, 1 PH, 20 Amps, diesel fired burner
- Direct drive with manual hand brake
- Includes 42" dual lance wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- (4) 10-inch pneumatic wheels

Model	Motor	Wand	Hose
PW-DOMINATOR-2	2 HP HD Electric	42"	50-Foot
Wheels	(4) 10-Inch Pneumatic Wheels		

Electric 6 HP Hot Water High Pressure Washer



4 GPM at 2300 PSI

- 6 HP HD Electric Motor, 220 Volt, 1 PH, 25 Amps, diesel fired burner
- Direct drive with manual hand brake
- Includes 42" dual lance wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- (4) 10-inch pneumatic wheels

Model	Motor	Wand	Hose
PW-DOMINATOR HOT 4E	6 HP HD Electric	42"	50-Foot
Wheels	(4) 10-Inch Pneumatic Wheels		

Gas 11 HP Hot Water High Pressure Washer



4 GPM at 3000 PSI

- 11 HP Honda gas engine, 220 Volt, 1 PH, 25 Amps, diesel fired burner
- Direct drive with manual hand brake
- Includes 42" dual lance wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- (4) 10-inch pneumatic wheels

Model	Engine	Wand	Hose
PW-DOMINATOR HOT 4G	11 HP Honda Gas	42"	50-Foot
Wheels	(4) 10-Inch Pneumatic Wheels		

Gas 13 HP Hot Water High Pressure Washer



3.5 GPM at 4000 PSI

- 13 HP Honda gas engine, diesel fired burner
- Direct drive with manual hand brake
- Includes 42" dual lance wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- (4) 10-inch pneumatic wheels

Model	Engine	Wand	Hose
PW-DOMINATOR	13 HP Honda Gas	42"	50-Foot
Wheels	(4) 10-Inch Pneumatic Wheels		

Floor Machine Brushes, Pad Drivers and Accessories

Brushes and Pad Drivers

Bristle Types for the Job, Brush Size to Fit the Machine!

- Brush and pad driver sizes with part numbers are shown in the right-hand chart by floor machine type
- Includes "B" style clutch plate
- Pad drivers include the 1" riser

Floor Machine Type	13"	15"	17"	19"	21"
Nylon 180 Grit Scrub	1307	1507	1707	1907	2107
Stiff Poly Scrub	1304	1504	1704	1904	2104
Nylon Carpet Shampoo	1316	1516	1716	1916	2116
Bassine Scrub	1302	1502	1702	1902	2102
Union Mix Polish	1301	1501	1701	1901	2101
Pad Driver 1/2" Poly Bristle-Style w/ Riser	1305	1505	1705	1905	2105
Pad Driver Harpoon-Style w/ Riser	—	1508	1708	1908	2108
High Speed Harpoon Cushioned Pad Driver w/ Riser	—	—	1709	1909	2109



SST-4 4-Gallon Solution Tank

Add for more Efficient Scrubbing!

- Delivers pre-mixed scrub solutions through the apron
- 4-gallon capacity
- Can withstand temperatures up to 200 degrees without becoming brittle, cracking or leaking
- Makes scrubbing faster and more efficient!
- Includes super drain valve

Model	Capacity	Fit	Weight
SST-4	4-Gallon	All Floor Machines	31 lbs.



Contact us for more information or to place your order:
 phone: 888-568-4606 | fax: 201-568-7962 | sales@mercuryfloormachines.com

Customer Warranty Information

All equipment is inspected and tested before shipping from the manufacturer. All parts are warranted to be new and free from defects in workmanship and material, under normal use to the original retail purchaser. This warranty limits manufacturer's liability for defects in workmanship or materials for replacement of defective parts only. The manufacturer accepts no liability for incidental or consequential damages arisen from the use of any equipment, defective or not. This warranty is in lieu of all expressed or implied warranties and is extended only to the original retail purchaser. Manufacturer sales and service representatives are not authorized to waive or alter the terms of this warranty, or to increase the obligations of the manufacturer under the warranty. Parts replaced or repaired under this warrant are warranted for the remainder of the original warranty period.

Freight charges and travel charges to and from the service provider shall be covered for ninety (90) days from the purchase date. After this ninety (90) day period, these freight charges shall be paid by the equipment owner, subject to manufacturer discretion. Certain circumstances may require additional consideration. No travel charges shall be covered after ninety (90) days.

The manufacturer covers up to one (1) year (365 days) of service labor at the manufacturer's calculated hourly labor rate/repair time when performed by a manufacturer's authorized service provider. Ultimately, labor reimbursement costs are at the discretion of the manufacturer. After one (1) year, the original retail purchaser is responsible for all labor costs with no manufacturer reimbursement.

The original purchaser must contact the manufacturer to follow correct RMA/warranty procedures. They must have a copy of the RMA Sheet enclosed in the box with the returned item. No returns shall be authorized unless the proper RMA procedures are followed. It is the responsibility of the distributor to repair the customer's equipment as soon as possible. If the distributor does not have the facilities to repair the equipment, it may be shipped or taken to an authorized service center for repair.

The manufacturer charges a 15% restocking fee for any items that are being returned to stock. Items must be new, unused, free of damage and are only good for up to one (1) year. After one (1) year, the manufacturer does not accept the return of any item(s) for a reimbursed price.

Authorized warranty replacement parts need to come directly from the manufacturer. Any use of any other parts will void warranty. Mercury Floor Machines, Inc. does not reimburse for parts used by customer that were not supplied directly for the machine under warranty.

The customer must contact the manufacturer prior to working on or changing out of any parts, etc. The manufacturer must issue an RMA Sheet containing approved labor time and replacement parts. Do not send parts or equipment back to the manufacturer without a RMA Number and approval. No labor will be paid for, nor parts cost paid for or reimbursed, that have not previously been approved by the manufacturer. All warranty work must be approved and authorized to qualify, and appropriate warranty procedures must be followed.

The warranty starts on the purchase date by the original purchaser from an authorized Mercury Floor Machines, Inc. distributor, subject to proof of purchase. The Machine Registration Form must be completed online at the time of purchase. If proof of purchase cannot be identified, the warranty start date is ninety (90) days after the date of sale to an authorized Mercury Floor Machines, Inc. distributor.

Register your machine online!

Go to <http://www.mercuryfloormachines.com/registration.aspx>

2012 MERCURY FLOOR MACHINE CATALOG



Visit us at www.mercuryfloormachines.com!

**CALL US TODAY IF YOU HAVE ANY QUESTIONS,
OR WOULD LIKE TO PLACE AN ORDER!**

110 South Van Brunt Street, Englewood NJ, 07631
(p) 888-568-4606 | (f) 201-568-7962 | www.mercuryfloormachines.com

